


PSI @
SP. GR. 1.0

Performance Curves

CR2U




Materials of Construction

DESCRIPTION	MATERIAL
Suction/Discharge Base, Motor Stool & Couplings	Cast Iron
Impellers, Intermediate Chambers, Spacing Pipes, Outer Sleeve, Priming Valve & Coupling Guards	AISI 304 SS
Pump Shaft	AISI 316 SS
Shaft Seal	
CR2 (20-100) Bellows Type	
- Stationary Face	Carbon
- Rotating Face	Tungsten Carbide
- Secondary Seal	EPDM (Viton® Optional)
- Seal Drivers	AISI 316 SS
- Spring	AISI 316 SS
- Bellows	EPDM (Viton® Optional)
CR2 (120-180) O-Ring Type	
- Stationary Face	Tungsten Carbide
- Rotation Face	Tungsten Carbide
- O-Rings	EPDM (Viton® Optional)
- Upper and Lower Drivers	AISI 304 SS
- Spring	AISI 304 SS
Intermediate Chamber Bearings	Aluminum Oxide Ceramic
Intermediate Bearing Journals	Tungsten Carbide
O-Rings	EPDM (Viton® Optional)
Outer Sleeve Gaskets	Non-Asbestos Fiber
Air Vent Plug	Bronze*
Neck Rings	Teflon®


NOTES: EPDM - Ethylene Propylene Rubber *Steel or Stainless Steel - optional
® Registered trademark of DuPont

NPSH Curve



GRUNDFOS Pumps Corporation • 2555 Clovis Avenue • Clovis, CA 93612
Regional Centers: Allentown, PA • Atlanta, GA • Chicago, IL •
Clovis, CA • Seattle, WA • Dallas, TX
Phone: (800) 333-1366 • Fax: (800) 333-1363
Canada: Mississauga, Ontario • Mexico: Apodaca, N.L.

L-CR2U-TL-001 Rev. 8/94
PRINTED IN USA




Materials of Construction

DESCRIPTION	MATERIAL
Suction/Discharge Base, Motor Stool & Couplings	Cast Iron
Impellers, Intermediate Chambers, Spacing Pipes, Outer Sleeve, Priming Valve & Coupling Guards	AISI 304 SS
Pump Shaft	AISI 316 SS
Shaft Seal	
CR4 (20/1-100) Bellows Type	
- Stationary Face	Carbon
- Rotating Face	Tungsten Carbide
- Secondary Seal	EPDM (Viton® Optional)
- Seal Drivers	AISI 316 SS
- Spring	AISI 316 SS
- Bellows	EPDM (Viton® Optional)
CR4 (120-160/14) O-Ring Type	
- Stationary Face	Tungsten Carbide
- Rotation Face	Tungsten Carbide
- O-Rings	EPDM (Viton® Optional)
- Upper and Lower Drivers	AISI 304 SS
- Spring	AISI 304 SS
Intermediate Chamber Bearings	Aluminum Oxide Ceramic
Intermediate Bearing Journals	Tungsten Carbide
O-Rings	EPDM (Viton® Optional)
Outer Sleeve Gaskets	Non-Asbestos Fiber
Air Vent Plug	Bronze*
Neck Rings	Teflon®

NOTES: EPDM - Ethylene Propylene Rubber
*Steel or Stainless Steel - optional
® Registered trademark of DuPont

NPSH Curve




GRUNDFOS Pumps Corporation • 2555 Clovis Avenue • Clovis, CA 93612
Regional Centers: Allentown, PA • Atlanta, GA • Chicago, IL •
Clovis, CA • Seattle, WA • Dallas, TX
Phone: (800) 333-1366 • Fax: (800) 333-1363
Canada: Mississauga, Ontario • Mexico: Apodaca, N.L.

L-CR4U-TL-002 Rev. 8/94
PRINTED IN USA

PSI @
SP. GR. 1.0

Performance Curves

CR8U




Materials of Construction

DESCRIPTION	MATERIAL
Suction/Discharge Base, Motor Stool & Couplings	Cast Iron
Impellers, Intermediate Chambers, Spacing Pipes, Outer Sleeve, Priming Valve, Suction Interconnector & Coupling Guards	AISI 304 SS
Pump Shaft	AISI 431 SS
Shaft Seal	
CR8 (20/1-80) Bellows Type	
- Stationary Face	Carbon
- Rotating Face	Tungsten Carbide
- Secondary Seal	EPDM (Viton® Optional)
- Seal Drivers	AISI 316 SS
- Spring	AISI 316 SS
- Bellows	EPDM (Viton® Optional)
CR8 (100-160) O-Ring Type	
- Stationary Face	Tungsten Carbide
- Rotation Face	Tungsten Carbide
- O-Rings	EPDM (Viton® Optional)
- Upper and Lower Drivers	AISI 304 SS
- Spring	AISI 304 SS
Intermediate Chamber Bearings	Aluminum Oxide Ceramic
Intermediate Bearing Journals	Tungsten Carbide
O-Rings	EPDM (Viton® Optional)
Outer Sleeve Gaskets	Non-Asbestos Fiber
Air Vent Plug	Bronze*
Neck Rings	Teflon®


NOTES: EPDM - Ethylene Propylene Rubber
® Registered trademark of DuPont
*Steel or Stainless Steel - optional

NPSH Curve



GRUNDFOS Pumps Corporation • 2555 Clovis Avenue • Clovis, CA 93612
Regional Centers: Allentown, PA • Atlanta, GA • Chicago, IL •
Clovis, CA • Seattle, WA • Dallas, TX
Phone: (800) 333-1366 • Fax: (800) 333-1363
Canada: Mississauga, Ontario • Mexico: Apodaca, N.L.

L-CR8U-TL-001 Rev. 8/94
PRINTED IN USA




Materials of Construction

DESCRIPTION	MATERIAL
Suction/Discharge Base, Motor Stool & Couplings	Cast Iron
Impellers, Intermediate Chambers, Spacing Pipes, Outer Sleeve, Priming Valve, Suction Interconnector & Coupling Guards	AISI 304 SS
Pump Shaft	AISI 431 SS
Shaft Seal	
CR16 (30/2-70) Bellows Type	
- Stationary Face	Carbon
- Rotating Face	Tungsten Carbide
- Secondary Seal	EPDM (Viton® Optional)
- Seal Drivers	AISI 316 SS
- Spring	AISI 316 SS
- Bellows	EPDM (Viton® Optional)
CR16 (80-120) O-Ring Type	
- Stationary Face	Tungsten Carbide
- Rotation Face	Tungsten Carbide
- O-Rings	EPDM (Viton® Optional)
- Upper and Lower Drivers	AISI 304 SS
- Spring	AISI 304 SS
Intermediate Chamber Bearings	Aluminum Oxide Ceramic
Intermediate Bearing Journals	Tungsten Carbide
O-Rings	EPDM (Viton® Optional)
Outer Sleeve Gaskets	Non-Asbestos Fiber
Air Vent Plug	Bronze*
Neck Rings	Teflon®

NOTES: EPDM - Ethylene Propylene Rubber
® Registered trademark of DuPont
*Steel or Stainless Steel - optional

NPSH Curve



GRUNDFOS Pumps Corporation • 2555 Clovis Avenue • Clovis, CA 93612
Regional Centers: Allentown, PA • Atlanta, GA • Chicago, IL •
 Clovis, CA • Seattle, WA • Dallas, TX
Phone: (800) 333-1366 • **Fax:** (800) 333-1363
Canada: Mississauga, Ontario • **Mexico:** Apodaca, N.L.

L-CR16U-TL-002 Rev. 8/94
 PRINTED IN USA